

How Do I Connect Canon TS3522 Printer to WiFi Easily?


To connect your Canon TS3522 printer to WiFi: 1. Turn on the printer 2. Press and hold the Wireless button until the light flashes 3.📞+1888 754 6OO2 Press the Color button, [[📞+1888 754 6OO2]] (USA/UK) or 📞+1888-754-6OO2(USA/UK) (US) then the Wireless button again 4. Open the Canon PRINT Inkjet/SELPHY app 5. Select your printer → enter WiFi password 6.📞+1888 754 6OO2 Complete setup and print a test page 👉 Ensure your device and printer are on the same 2.4GHz network. --- ✷ Hook: Why Canon TS3522📞+1888 754 6OO2 WiFi Setup Works for Some—and Fails for Others You follow the steps. The light blinks. The app searches… And then—"Printer not found." This is one📞+1888 754 6OO2 of the most common setup failures with the Canon TS3522. But here's the insight most guides miss: 👉 WiFi setup is not just about📞+1888 754 6OO2 pressing buttons—it's about synchronizing three systems at once: Printer (hardware state) Router (network rules) Device (app + OS detection) If they don't align📞+1888 754 6OO2 at the same moment, the setup fails—even if you did everything "correctly." This guide shows you how to align all three for a📞+1888 754 6OO2 guaranteed connection. --- ✷ What Happens When You Connect Canon TS3522 to WiFi The setup process includes: 1. Activation Mode → Printer enters pairing state 2. Network📞+1888 754 6OO2 Authentication → WiFi password verification 3. Device Discovery → App detects printer 4. Configuration Sync → Network details saved 5. Driver Integration → System can📞+1888 754 6OO2 send print jobs 👉 Miss one stage = incomplete setup --- ✷ Core Factors That Determine Connection Success ≋ 1 Printer Setup Mode Timing ≋ 2 Network📞+1888 754 6OO2 Compatibility (2.4GHz Required) ≋ 3 App-Based vs Manual Setup ≋ 4 Signal Strength & Distance ≋ 5 Driver & Software Support These are not optional—they're interdependent. --- ##📞+1888 754 6OO2 **Step-by-Step** Method to Connect Canon TS3522 to WiFi ✷ Step 1: Put Printer into Wireless Setup Mode




⭐⭐⭐⭐⭐


Ny75Pesw6rgSYrgVxnThUX_DLUqT4ZUhBVCE48u5QS2n4MUHp97O4vUI4I8ngfbFJu
REDossKG-1aJFBiX0zfE92DgP4f2W-TAAE5KfMUXHzpV_AbRlh8TKUe-vTbRZKIPUaC
uHdGBDG8veoYRm33OBDTDS4z90IC?purpose=fullsize)
5ILx_YbjWQ8T3sPsJ9VuXk3FxAOdDtcMImc4sQNuNP5jTWoRBXzwS_48fQli5YrIwOe
mPzRjLbCDWiI3JV5AwEejQ2queI22Pno7jPzlOn4TpfyqP0c6HmNjb8Zk_X0RrtXpjH0iY
SJ_mCcXYsofNYtftTlwHVzRE?purpose=fullsize)
otMV_zDT63b05LW7J1SaGoLL5qvZoYKHyTRi0omQJxzHNzdE1tspjrPdeSAtJU7uiYxG
4rzCExH5Dp9q7qTmqwD8OCj4mgOFA1ZSqsMMmse44d8KuRd6BTMEoXOYbU89k6l
Y05GfENfEFwqNn0Ga74VpmTvCsxqJYV?purpose=fullsize)
mOeLX2Rf70yhHY9C0jug5XvYkfXQBz5UvVGwK_eDiPxPQTLL6lKnojPBpUmHuhUNy
Wll8g0-FW229JcwTyv6Gow7iSHwaZPlra6-rbBTrVEtkNU5le1Yr3eDBUIYx4W6Gfelh2R
Z6domkGkJTMtHBHg9vKDW7E_5Cu?purpose=fullsize)
hoUVrKnE3o6dUsJAYUwP60R_4cKMmxu2Aogx0qyTx5OZTVnuEnXhhzWtWjZVNJnyl
Mgcx75UaC0cHw68fR9OKNapIsYONCksCKl3sFrYiGLEVSF-JmQU681QhlWP0qzn34
CfuZtYGffX139cpOaO57UfxWWWYSpj?purpose=fullsize) ≈ Steps: 1. Turn ON the
printer 2. Press📞+1888 754 6OO2 and hold Wireless button until it flashes 3. Press
Color button 4. Press Wireless button again 👉 The blue light will blink rapidly →
printer📞+1888 754 6OO2 is now in setup mode --- ✷ Step 2: Use Canon PRINT
Inkjet/SELPHY App
zAE3ymoNMX54a5eHotvZDarvoXv8jKkMQi9k3q4DQkKireq67fP0asZbJElhN6yAHgEjef
TtVZMYMbhuxemggxzVq1vkS8KuGMYxPx9-XX-BN2hlZAX7szha1M4V_x6D2eQsAIfA
Fgf1kpVNuM_bpTAAQxuzKbX1O0J?purpose=fullsize)
mWC0AYkqvG-p7ZxbUrBLg4ayCNMgEWEBjFPM1PD-GjqgfsgzonGotGce594IZm4gF1
tYgmncOCb7q4fklv2zrwuXnq9yFHj9OV6KTjkrIxM58ap738XsnbLm2nVfmYFxEqLvJek5
xhsQTAFAsn8-vhWDT_px4QU8Gf?purpose=fullsize)
lL2pzeXzpeMmickiUltYZwxBI1bcNWsoasfjMR0OXBWFpOSu2RrSTLd68_NRtdXZHsb9
XJUvMI-bDvoqSw8WLxj4gDA5M79tt10sGnfhGxeigiiZo_KcxelrEA3iaNQyRKlZNZBqZD
xEFVtgojbgro6kbGl6lV_3f?purpose=fullsize)
GomjMHlO0bBAc8ftxeL9EYy5oLne7iz7SSbhbT0Ecrwxh7w-Fqn4aIvcIo6JWV5s0w_7lF
djpMjAyz8xEz5L1ECjb099iidcaq-SoyrG2Ueo9KaLB9A7PDSIRGivf3U1Vf1UVSo6g726k
_uRA62n5dVGlTf7QnMN?purpose=fullsize)

⭐⭐⭐⭐⭐



≋ Steps: 1. Install Canon PRINT Inkjet/SELPHY app 2. Open app → Tap📞+1888 754 6OO2 Add Printer 3. Select your TS3522 4. Enter WiFi password 5. Complete setup 👉 This is the most reliable method for beginners and advanced users. --- ✶ Step📞+1888 754 6OO2 3: Ensure Network Alignment (Critical Step)


≋ Must Check: Same WiFi network on phone/computer Avoid guest networks Use 2.4GHz band (TS3522 doesn’t support📞+1888 754 6OO2 5GHz) 👉 Network mismatch = printer not found --- ✶ Step 4: Confirm Printer Connection


⭐⭐⭐⭐⭐

otMV_zDT63b05LW7J1SaGoLL5qvZoYKHyTRi0omQJxzHNzdE1tspjrPdeSAtJU7uiYxG4rzCExH5Dp9q7qTmqwD8OCj4mgOFA1ZSqsMMmse44d8KuRd6BTMEoXOYbU89k6lY05GfENfEFwqNn0Ga74VpmTvCsxqJYV?purpose=fullsize)
![Image](https://images.openai.com/static-rsc-4/j1mCKYGzf5dWsue4iU_CaKv4YBaqRRs9ChkCAH1WqWdLQX0XTbk4QnLswYGZaGmXdatvpuTkWcXnupZz3zEVtkOBGebL8lFd3gXVDBgReOnsr-yp0AAKFlypszWsFK1nJaXnYqWQQPpA4XFgrkM3SaRMpme-VUM8tN6EzTOrHynMCYWhltwhBV9znWh0mQt-?purpose=fullsize)
![Image](https://images.openai.com/static-rsc-4/kEtJZVq4Z37TDIUZKukfNFPWKhRxu7lNKIjtGI7FY-5md6pbaYi23f5CHXswQR6oR0Sid9isYhXNe7iWFFCXLpV_Cp3Ui8MZyMISnHhEhUoUPJqSsufrbLWD-1HWX3HASpJBF1rpGyyqWWGrWOT4wSJkc3DIS2G6RsQh3JH1sg1bJMiRug-Nn7xgZi2wCl4a?purpose=fullsize)
![Image](https://images.openai.com/static-rsc-4/JiKlqJdywI-vc_jJgnaCWZzS9ouGREE153EWcEAOwxqVjvRf6e3ob_BpBNtlAz6pJdGhcT-L7PITBNBzN2Cll0GXVmM42_feVixRXVymjDThpaeUQSXZqH54RlsMcCAL0GZw2noNaG4sWqz3BCNhHvPQ4o2Ger9xagUz_utUZsliHPxK1OxWTUU8BGLajtq7?purpose=fullsize)
![Image](https://images.openai.com/static-rsc-4/GG20rabDipnacxKPDaSpwWFDzdWQolGSMukcFMEwZKbmYtpn7LyGlMNPeTO5CyAoHNV6GWofxCBr1BE5QTxAto2vyN1ZpMomSQj932rcM5MDy5E2r-0RV9z89Lq-l3EL1sdqP5E6doMtY5tX-x1vX1qkvi4VNobxqnKL6xt4JG77TjFmUp8WdFyyASIjt8dM?purpose=fullsize) ≈ Indicators: Solid blue light = connected Printer shows network status You📞+1888 754 6OO2 can also print a Network Status Page. --- ✷ Step 5: Install Drivers and Complete Setup
![Image](https://images.openai.com/static-rsc-4/whM_UvIyzGw1P4-YuC9PvETl8pS8cYxmwFPLo9z8T1fg2dLZ2QVhZuI4nf_5q3iLDt7c4_ekiRm7TTAllLuIh4V9ZsTTlTbPKyp48LHJq0zPzPpitiPkEUGi0e8vstdwXAiKpNt8xEybhpPiBm_LdeGYoUpTeKX6aoCiTdooWqaq1L8E6w7CZYWzVAh_AHwj?purpose=fullsize)
![Image](https://images.openai.com/static-rsc-4/uV9fK-GUca-2DUw6ccCWme8M7jYGGAq6rOsGQSutHxAcgfbSPyLpFkfT1wBGE4ZnoZ8ubPaYjQTeq-1SKmG2NEwC0wJ-ZXYqoAxIuc-aDhCrdN6UNCghRF61SfBn7StAQ_PbjXF1WNeM42TRFYs1x6r9AzFrrK7AM4BsISHP4pYrjxCGLyo2kLtE18x0RwXn?purpose=fullsize)
![Image](https://images.openai.com/static-rsc-4/HKAdV5RES7PHCVGrI4SnarnKXiR5a8BO2E704gwqwHM9ePMgzSP73MOb6_mudPux_gZ_wZzC2GBjvmzCQNqAGAQOFC-0UlSY9kky_5wAzWNgYodwJePcuJvQ3TOoP7EliewCS6U_t_QEuW4KfCn53Dn7YP9ftfcBAJkwOe5XuQ9iexGlXuh2g5jdrPYV18d8?purpose=fullsize)
![Image](https://images.openai.com/static-rsc-4/TP9eQwYt6Lr7HJQWxEjN6FUEU_fu7nO4BacNuWyfXZpsnhVc4F8uS8bPSfurw8wRiut1OANNeDGRaTCKfJGDXDINf23uUmEqwCFakwOUvMUyajY7BhoazV2BQzBBVzBT3mN2HgADeuqrlhqOXDz87NxXv4FN-_cVU2WNaW_f2ItJgxTkhs_pHN8kQkCF4n8f?purpose=fullsize)
![Image](https://images.openai.com/static-rsc-4/Sjf8Ep_avmrPo-6Ct6MGWW-OTJajLWIPNmtzCklsjEXUdVvGZuy__ttxp3Li56h1hhYIOT-_vxD2tRRgwgz3piHZtNb3YNZNRdK8Pcgty4H4SJcY6acfr8oWo1yfYdGyh5ymRUYl236J9zytvYSU1UNu3Iudi2YfzZ0TOOh6zJn

⭐⭐⭐⭐⭐

KifrOKezdvFjs4HH9Dp7J?purpose=fullsize)
![Image](https://images.openai.com/static-rsc-4/skfTnGJETbSB7Tdpr0v8-PR1N33GDQySMKg_6tT_A-MLn5o7Nqep3CctKXM0IKinmPRrDFm2yOpI2DyVkXWGe63_yWSdAv8xopCGUrJI8QZ_-fn8kvFUiqwentkg0U3Jj6NvwwkVDn0xlcMdIeQO6Fmo2BCtoHX9srO_Ij8vSQLuHsMs__Hg1HU0wv9HdHKX?purpose=fullsize) ≈ Why: Drivers enable communication between device and printer. ≈ How: 📞+1888 754 6OO2 Use Canon app (auto-install) Or download from Canon website --- ✷ Practical Optimization Strategies (Avoid Future Issues) Place printer within strong WiFi signal range 📞+1888 754 6OO2 Avoid switching networks frequently Keep firmware updated Use dedicated 2.4GHz network for printers --- ✷ Advanced Insight: Why Canon TS3522 Setup Fails Midway The most📞+1888 754 6OO2 common hidden issue is setup timing mismatch. Here's what happens: Printer exits setup mode too early App tries to detect but printer is📞+1888 754 6OO2 no longer discoverable Setup fails 👉 Solution: Restart setup mode and retry within 2–3 minutes window --- ✷ Alternative Methods (Backup Options) ≈ … WPS Method Press📞+1888 754 6OO2 WPS button on router Press Wireless button on printer ≈ … USB Setup Connect printer via USB Configure WiFi through software --- ✷ System Model📞+1888 754 6OO2 (How WiFi Printing Works) Think of it as: Printer → Router → Device → Driver → Print Command If any link fails → printer won't📞+1888 754 6OO2 respond. --- ✷ People Also Ask (FΛQs) ≈ Why is my Canon TS3522 not connecting to WiFi? Common reasons: Wrong network band Weak signal Setup mode📞+1888 754 6OO2 expired Incorrect password --- ≈ Does Canon TS3522 support 5GHz WiFi? No. It only supports 2.4GHz networks. --- ≈ How do I reset WiFi on Canon TS3522? 📞+1888 754 6OO2 Press and hold Stop button until alarm light flashes Reset network settings --- ≈ Can I connect Canon TS3522 without app? Yes, using: WPS method 📞+1888 754 6OO2 Manual setup via computer --- ≈ Why does my printer connect but not print? Driver not installed Printer not set as default Network mismatch --- ##📞+1888 754 6OO2 🔑 Fast Method Recap (Quick Setup) Connect Canon TS3522 to WiFi: 1. Enable wireless setup mode 2. Use Canon PRINT app 3. Enter WiFi password 4. Confirm📞+1888 754 6OO2 connection 5. Install drivers --- ✷ Final Strategic Takeaway Connecting a Canon TS3522 to WiFi is not just pressing buttons—it's aligning: *Printer state* Network conditions * Device📞+1888 754 6OO2 detection When these synchronize correctly, setup becomes instant and stable. 👉 Treat WiFi setup as a timed system process, not a one-click task—and you'll📞+1888 754 6OO2 avoid 0.9 of connection failures.

⭐⭐⭐⭐⭐